

2026-2027

# SNOWBLOWERS

**AL-KO**

QUALITY FOR LIFE



**STRENGTH AND RELIABILITY - FOR ALL TYPES OF SNOW**

More information at [www.alko-garden.dk](http://www.alko-garden.dk)

# ECO-FRIENDLY SNOWBLOWERS

## SINGLE-STAGE SNOWBLOWERS - FOR EASY USE AT HOME

QUIET, ENVIRONMENTALLY FRIENDLY AND EASY TO MANOEUVRE

AL-KO ST 4048 with battery and SnowLine 46 E with electric motor are suitable for small areas and fresh snow up to 30 cm deep.

These single-stage models with modern brushless motors, low weight and compact design guarantee high power and flexible manoeuvrability. In a simple one-step operation, the auger collects the snow and ejects it directly through the discharge chute.

### EASY TO HANDLE

Ideal for home use, SnowLine 46 E and ST 4048 can be adjusted to your height and are always ready for use. When the snow has melted, the shaft can be folded for space-saving storage.



**LOW WEIGHT**  
The ST 4048 and SnowLine 46 E weigh only 15 kg. The compact design and practical handle make transport easy.



**ADJUSTABLE HANDLE**  
The height of the handle is easily adjusted with a tension screw.



**SPACE-SAVING STORAGE**  
When the snow is gone, the snowblower can be stored conveniently and space-efficiently thanks to the folding handle.



	ELECTRIC SnowLine 46 E**	CORDLESS ST 4048*
For areas up to*	150 m <sup>2</sup>	300 m <sup>2</sup>
Engine / power	2.000 W, 230 V	Li-ion max. 36 V, 4 Ah / 5 Ah / 8 Ah
Operating / charging time up to		4 Ah: 20 / 90 min. 5 Ah: 30 / 120 min. 8 Ah: 40 / 180 min.
Snow clearing width	46 cm	48 cm
Intake height	20 cm	20 cm
Starter system	E-start	E-start
Discharge distance	Max. 6 m	Max. 6 m
Discharge adjustment	Manual, 190°	Manual, 180°
Conveyor technology	Paddle, 1-stage	Paddle, 1-stage
Heated handles	-	-
Headlights	-	✓ LED with practical on/off-button
Weight approx.	14,5 kg	13,5 kg (no battery) 14,9 kg (with battery)
<b>ST 4048 WITHOUT BATTERY AND CHARGER</b>		
Art. no.	113 591	
EAN	400 371 805 7959	
<b>ST 4048 SET INKL. 4,0 AH BATTERY AND CHARGER</b>		
Art. no.	113 635	
EAN	400 371 805 8888	
<b>SnowLine 46 E**</b>		
Art. no.	112 932	
EAN	400 371 804 5147	

## AL-KO 36 V III

### LITHIUM-ION TECHNOLOGY

The AL-KO 36 V battery range is perfect for ambitious gardeners looking for a wide and powerful range of machines for home and garden.



**BATTERY B 200.5 Li BLUETOOTH®**  
Li-ion 36 V  
5,0 Ah  
With Bluetooth®-technology  
Art. no. 114 161  
EAN 400 371 806 6821



**SNABBLADARE FC 1200 Li**  
Li-ion 36 V  
12 A  
Compatible with all AL-KO 36 V units  
Art. no. 114 162  
EAN 400 371 806 6838



**BATTERY B 160 Li**  
Li-ion 36 V  
4,0 Ah  
Art. no. 114 099  
EAN 400 371 806 5978



**CHARGER C 130 Li**  
Li-ion 36 V  
3,0 A  
Art. no. 113 281  
EAN 400 371 805 5290



**BATTERY B 800 Li**  
Li-ion 36 V  
8,0 Ah  
Art. no. 114 017  
EAN 400 371 806 3950



**DOUBLE CHARGER C 200 Li**  
Li-ion 36 V  
2 stk. 3,0 Ah  
With Wi-Fi  
Art. no. 114 018  
EAN 400 371 806 3967

\* Maximum area coverage depends on the conditions as well as the battery capacity.  
\*\* When using SnowLine 46 E, an extension cable of appropriate length is required, not included.

# PETROL SNOWBLOWERS

## POWERFUL TWO-STAGE SNOWBLOWERS - FOR AREAS WITH HEAVY SNOWFALL

### HIGH TRACTION FOR LARGE AMOUNTS OF SNOW

Thanks to powerful, winter-friendly OHV engines and reversible wheel drive, two-stage snowblowers are very easy to handle. The wheel drive is independent of traction, allowing the snowblower to run continuously. Thanks to the two-stage clearing system, strong winter-friendly OHV engines and wheel drive, these snowblowers are extremely easy to manoeuvre. In the first stage, the snow is shovelled in through the feed auger and collected. In the second stage, the snow is ejected through the discharge chute. The SnowLine series always comes with a durable steel discharge chute that can easily be rotated up to 190°, so that the snow lands exactly where you want it. Depending on the weight of the snow, it is thrown up to 15 metres away via the rotating chute.

### LOW PETROL CONSUMPTION

These two-stage models with powerful engines ensure high performance with low fuel consumption.



**PRACTICAL ON DARK WINTER DAYS**  
The large SnowLine models are equipped with a powerful LED panel. The lighting is activated automatically at power on and is very useful when clearing snow in the evening or early morning. These models also have electrically heated handles.



**CONVENIENT SNOW REMOVAL**  
Thanks to the compact control panel, all important functions are easily accessible right in front of you. On the large SnowLine models, the discharge height is easily adjusted with a handle.



	PETROL SnowLine 560 II	PETROL SnowLine 620 E II	PETROL SnowLine 620.4 E III	PETROL SnowLine 700.4 E LED	PETROL SnowLine 760.4 E LED
For areas up to	400 m <sup>2</sup>	500 m <sup>2</sup>	500 m <sup>2</sup>	800 m <sup>2</sup>	1 000 m <sup>2</sup>
Engine / power	4,0 kW / 182 cm <sup>3</sup>	4,4 kW / 212 cm <sup>3</sup>	6,2 kW / 302 cm <sup>3</sup>	7,8 kW / 375 cm <sup>3</sup>	9 kW / 420 cm <sup>3</sup>
Snow clearing width	56 cm	62 cm	62 cm	70 cm	76 cm
Intake height	51 cm	50 cm	51 cm	54,5 cm	54,5 cm
Starter system	Recoil start	Recoil start / electric 230 V	Recoil start / electric 230 V	Recoil start / electric 230 V	Recoil start / electric 230 V
Max. discharge distance	10 – 12 m	10 – 15 m	10 – 15 m	15 m	15 m
Discharge adjustment	Manual, 190°	Manual, 190°	Manual, 190°	Manual, 190°	Manual, 190°
Conveyor technology	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage	Screw/scoop wheel, 2-stage
Gears / drive	5 forward / 2 reverse / rubber tyres	5 forward / 2 reverse / rubber tyres	6 forward / 2 reverse / rubber tyres	6 forward / 2 reverse / rubber tyres	6 forward / 2 reverse / crawler tracks
Fuel tank volume	3 l	3 l	4 l	6,5 l	6,5 l
Heated handles	-	-	✓	✓	✓
Headlights	-	✓ LED	✓ LED	✓ LED	✓ LED
Weight approx.	75 kg	83 kg	96 kg	118 kg	126 kg
Art. no.	112 933	112 935	114 036	114 037	114 038
EAN	400 371 804 5154	400 371 804 5178	400 371 806 4599	400 371 806 4605	400 371 806 4612



**ENGINE OIL**  
4-stroke snowblower oil  
SAE 5W-30, 0,6 liter  
Art. no. 112 899  
EAN 400 371 804 4065



**START KIT**  
Consists of engine service kit, petrol can and 2 bottles of SAE 5W-30 oil  
Art. no. 130 920  
EAN 576 972 032 1387



**SHEAR PIN SET**  
Set of 4 / 10  
Art. no. 114 030 / 114 050  
EAN 400 371 806 4568 / 5206



**SNOW CHAINS, SET OF 2**  
SnowLine 560 II, 620 E II and 620.4 E III LED  
Art. no. 112 902  
EAN 400 371 804 4096  
SnowLine 700.4 E LED  
Art. no. 112 985  
EAN 400 371 804 5970

**COVER FOR SNOWBLOWERS**  
Snowline 560 E II, 620 E II, 620 E III, 620 E III, 620.4 E III, 700 E, 700.4 E, 760 TE, 760.4 TE  
Art. no. 535 000  
EAN 576 972 033 1331



## FIND THE MODEL THAT SUITS YOUR NEEDS



Whether you need to clear your driveway or large areas such as car parks or long sidewalks, AL-KO has a snowblower to suit your needs.

### CORDLESS SNOWBLOWER

With ST 4048 you get an easy-to-drive, relatively strong and handy snowblower. Battery operation ensures environmentally friendly snow removal at low noise levels. On a single charge, you can clear up to 200 m<sup>2</sup> - even more with an extra battery.

### ELECTRIC SNOWBLOWER

SnowLine 46 E is powered by a strong, environmentally friendly 230 V / 2 kW electric motor. With this model you get a quiet snowblower that is easy to assemble and manoeuvre and easy to store.

### PETROL SNOWBLOWERS

Petrol snowblowers are the best choice in areas with a lot of snow.

With large, robust rubber tyres or crawler tracks, AL-KO petrol models provide optimal traction even in difficult conditions. The large models have electric start, which guarantees a quick start in sub-zero temperatures, and also comes with heated handles.

The best choice in areas with particularly heavy snow is the SnowLine 760.4 LED. The impressive working width of 76 cm and crawler tracks ensure optimal grip on icy surfaces and slopes.



### AL-KO Ginge A/S

Godsbanegade 20  
DK-9700 Brønderslev  
Tel. +45 98 801 744  
export.ginge@al-ko.com  
[www.al-ko-garden.dk](http://www.al-ko-garden.dk)



[www.facebook.com/ALKOGardentechDanmark/](https://www.facebook.com/ALKOGardentechDanmark/)

For more information visit [www.al-ko-garden.dk](http://www.al-ko-garden.dk) or your **AL-KO-partner**.

Provided by your AL-KO partner:

