THE TOP CLASS OF LAWN CARE

PETROL LAWN TRACTORS 2025

solo by AL-KO

GERMAN DESIGN AWARD WINNER 2024

PREMIUM pro

PREMIUM *pro*

engineered in
GERMANY

made in
AUSTRIA

INCREASED EFFICIENCY

DESIGN ⓓ

Discover our new design that offers the tractor a whole new visibility and dimension. The LED system is rather striking with its bright LED strips as permanent daytime running lights. The design incorporates our AL-KO design language and provides **PREMIUM** *pro* and **COMFORT** *pro* tractors with a uniform look. With its impressive dimensions, the new **PREMIUM** *pro* tractor looks like the big brother among lawn tractors. By further developing the design, we are also raising the competitive edge of our **PREMIUM** *pro* tractors. This new design sets the standard for future developments in the field of ride-on lawn tractors.

GERMAN DESIGN AWARD WINNER 2024

ENHANCED ERGONOMICS



IMPROVED BELT GUIDE

Based on invaluable customer feedback, we have been able to optimise the belt drive of our tractors. Previously, the drive was occasionally weakened during heavy use. We have now increased the wrap angle of the transmission pulley by 40°. To do so, we have developed a new belt that can be loaded on both sides, an additional pulley and a spring that is tailored to the other components. The improved belt guidance refines the drive and minimises losses. For reliable tractor performance, even in harsh conditions.

ENHANCED SPEED

Thanks to our optimised drive system, you will also benefit from improved performance and higher speeds. By means of extensive testing, we were able to determine an optimised gearbox transmission ratio, which enables a higher speed and therefore also increased power. Thanks to the optimised belt guide, this increased power is efficiently transmitted to the rear axle. This not only results in faster driving, but also faster mowing - developed with maximum efficiency in mind.

ARMRESTS

Discover our armrests - our response to the frequent customer request for comfort when working for longer periods, especially on large areas of land. Our armrests are height adjustable and enable each user to individually adjust them to their own requirements. The armrests can also be retrofitted on older seats, therefore expanding our range of accessories. We have even developed our own armrests for retrofitting our COMFORT *pro* tractors. It goes without saying that we have rigorously tested the stability - each armrest was loaded with 100 kg and was able to withstand this load.

HEIGHT ADJUSTMENT MEMORY FUNCTION

Make your work easier with our memory function, which allows you to set the cutting height in a more reliable and faster manner. Save your preferred cutting height, ensuring you don't accidentally work at a different height. You'll love this feature, especially when you've plenty of work to tackle in the garden. The inspection window means you can always keep an eye on the cutting height. The audible signal also provides additional support while performing the adjustment. In contrast to our competitors, who only occasionally have such a solution in their product range and most of them involve complex adjustment, we offer convenient operation with a single handle.

PREMIUM *pro*

SPECIAL TRACTORS

SCAN THE QR CODE TO HEAD TO THE TRACTOR WITH DIFFERENTIAL LOCK

T 22-105.4 HDD-A V2

Art. no. 127 708

DIFFERENTIAL LOCK

THE SOLUTION FOR EVERY SURFACE

SAFE WORKING ON SLOPES AND WET, LOOSE GROUND

Working in winter is made effortless by locking the rear axle.

MAXIMUM TRACTION AND OPTIMAL BALANCE

If a rear wheel slips, the differential lock ensures that the rear axle is actively locked to enable better traction and a safer way of working.
The differential lock is unlocked automatically.

SNOW CHAINS ARE ESSENTIAL IN WINTER

HIGH GRASS MOWER DECK

SCRUB OR HIGH GRASS? OUR HIGH GRASS MOWING DECK HANDLES IT ALL!

ROBUST, ASYNCHRONOUS BLADE SYSTEM WITH 3 BLADES

The high grass mower deck tackles virtually any grass, and armed with 5 mm thick blades, it is unstoppable even on difficult terrain. The 4 contact wheels on the mowing deck ensure the right balance on uneven terrain.

CHEVRON TYRES AS STANDARD FOR OPTIMUM TRACTION

The chevron profile rear tyres are fitted as standard, and increase traction on difficult terrain and high grass.

BIODIVERSITY - LESS MOWING, MORE BEES AND INSECTS



T 22-110.4 HDH-A V2

Art. no. 127 709

SCAN THE QR CODE TO HEAD TO THE TALL GRASS TRACTOR

SMART COCKPIT

The Smart Cockpit is revolutionising lawn mowing, making the process more efficient and simple. Download the AL-KO inTOUCH App, place your smartphone in the sturdy holder (suitable for all 4" to 7" devices), connect your lawn tractor via Bluetooth® and then all the benefits of smart lawn tractors can be utilised.

For support in no time at all, simply contact selected retailers via the AL-KO inTOUCH App on the Smart Cockpit, who will be able to swiftly resolve the issue. The Smart Cockpit is also home to useful product videos, lists with accessories and spare parts, as well as digital manuals.

RETROFITTING KIT FOR ALL PREMIUM *pro* TRACTORS FROM 2014

AS YOU MOW

The Smart Cockpit offers many benefits when operated from the lawn tractor. Displayed details are:-

- MOWING EFFICIENCY, for the perfect cut
- MAXIMUM MOWING TIME REMAINING, which is calculated based on fuel consumption
- SPEED, which lights up red for low mowing efficiency in order to prevent any blockages
- SMART HELP, that offers a wealth of useful information and functions via the inTOUCH app
- TRACTOR INCLINE, as a safety recommendation for steep slopes
- OPERATING HOURS, to make servicing the machine much easier

Have you ever forgotten to switch off the lights or the ignition of your lawn tractor and the next time you tried to start it, the battery was flat? Solo® by AL-KO PREMIUM *pro* lawn tractors with Smart Cockpit, ensures this won't happen again. As soon as you remove the smartphone with the inTOUCH app installed and the Smart Cockpit activated from the holder and walk away from the machine, you will receive a push notification if you have forgotten to switch off the lights or the ignition. Smart, isn't it?

SCAN QR CODE TO GO TO SMART MOWERS

PREMIUM *pro*

engineered in GERMANY
made in AUSTRIA

GERMAN DESIGN AWARD WINNER 2024

SCAN THE QR CODE AND DOWNLOAD THE PRICE LIST

SIDE DISCHARGE

	T 22-111.4 HDS-A V2	T 15-95.4 HD-A	T 18-95.4 HD V2	T 18-105.4 HD V2
	PREMIUM *pro*	PREMIUM *pro*	PREMIUM *pro*	PREMIUM *pro*
Working width	110 cm (2 blades)	95 cm (2 blades)	95 cm (2 blades)	105 cm (2 blades)
Area coverage up to	11,000 m²	7,000 m²	7,000 m²	8,000 m²
Engine	AL-KO Pro 700 V2	AL-KO Pro 450	B&S Intek 7160 V2	B&S Intek 7160 V2
Power	708 ccm / 13 kW / 2,700 rpm	452 ccm / 7.7 kW / 2,600 rpm	656 ccm / 9.6 kW / 2,600 rpm	656 ccm / 9.1 kW / 2,450 rpm
Number of cylinders	2 cylinders	1 cylinder	2 cylinders	2 cylinders
Transmission	Foot operated hydrostatic (T3)	Foot operated hydrostatic (T3)	Foot operated hydrostatic (T3)	Foot operated hydrostatic (T3)
Max. Speed	11 km/h	11 km/h	11 km/h	11 km/h
Improved drive system	✓	✓	✓	✓
Grass collector volume / material	-	310 l / fabric with hard-top	310 l / fabric with hard-top	310 l / fabric with hard-top
Grass collector emptying Optional extension Art. no. 119 602	-	Telescopic lever / electrical	Telescopic lever / electrical	Telescopic lever / electrical
MAX AIRFLOW *technology*	-	✓	✓	✓
Cutting height / height adjustment	3 - 9 cm / central, 7-stage	3 - 9 cm / central, 7-stage	3 - 9 cm / central, 7-stage	3 - 9 cm / central, 7-stage
Memory function Height adjustment	✓	✓	✓	✓
Blade engagement	Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
Tyre size front / rear (")	16 x 6.5 - 8 / 20 x 10.0 - 8	15 x 6.0 - 6 / 20 x 10.0 - 8	15 x 6.0 - 6 / 20 x 10.0 - 8	16 x 6.5 - 8 / 20 x 10.0 - 8
Armrests Art. no. 127 730	Optional	Optional	Optional	Optional
Smart Cockpit Art. no. 127 655	Optional	Optional	Optional	Optional
Cast axle	-	-	-	-
Cruise control Art. no. 127 729	Optional	Optional	Optional	Optional
Bumper Art. no. 127 731	Optional	Optional	Optional	Optional
Mulching function Art. no. 118 885	✓	Optional	✓	✓
LED headlights	✓	✓	✓	✓
Length x width x height approx.	200 x 117 x 117 cm	251 x 102 x 117 cm	251 x 102 x 117 cm	251 x 110 x 117 cm
Art. no. / EAN no.	**127 727 / 400 371 806 4940**	**127 705 / 400 371 806 4766**	**127 706 / 400 371 806 4773**	**127 707 / 400 371 806 4780**

DIFFERENTIAL LOCK	HIGH GRASS MOWER	SMART COCKPIT	125 CM CUTTING DECK
T 22-105.4 HDD-A V2	**T 22-110.4 HDH-A V2**	**T 22-105.4 HD V2 SD**	**T 24-125.4 HD V2**
PREMIUM *pro*	PREMIUM *pro*	PREMIUM *pro*	PREMIUM *pro*
105 cm (2 blades)	110 cm (3 blades)	105 cm (2 blades)	125 cm (2 blades, synchronous)
8,000 m²	9,000 m²	8,000 m²	10,000 m²
AL-KO Pro 700 V2	AL-KO Pro 700 V2	B&S Intek 7220 V2	B&S Intek 8240 V2
708 ccm / 12.2 kW / 2,450 rpm	708 ccm / 13.4 kW / 2,900 rpm	656 ccm / 11,7 kW / 2,450 rpm	724 ccm / 14.4 kW / 2,900 rpm
2 cylinders	2 cylinders	2 cylinders	2 cylinders
Foot operated hydrostatic (T3), Diff. lock	Foot operated hydrostatic (T3)	Foot operated hydrostatic (G700)	Foot operated hydrostatic (G700)
11 km/h	11 km/h	13 km/h	13 km/h
✓	✓	✓	✓
310 l / fabric with hard-top	-	310 l / fabric with hard-top	310 l / fabric with hard-top
Telescopic lever / electrical	-	Telescopic lever / electrical	Telescopic lever / electrical
✓	-	✓	✓
3 - 9 cm / central, 7-stage	3 - 9 cm / central, 7-stage	3 - 9 cm / central, 7-stage	3 - 9 cm / central, 7-stage
✓	✓	✓	✓
Electromagnetic	Electromagnetic	Electromagnetic	Electromagnetic
16 x 6.5 - 8 / 20 x 10.0 - 8	16 x 6.5 - 8 / 20 x 10.0 - 8	16 x 6.5 - 8 / 23 x 10.5 - 12	16 x 6.5 - 8 / 23 x 10.5 - 12
Optional	Optional	Optional	Optional
Optional	Optional	✓	Optional
-	-	✓	✓
Optional	Optional	✓	✓
✓	✓	✓	✓
✓	-	✓	✓
✓	✓	✓	✓
251 x 110 x 117 cm	200 x 114 x 117 cm	256 x 110 x 120 cm	256 x 130 x 120 cm
127 708 / 400 371 806 4797	**127 709 / 400 371 806 4803**	**127 710 / 400 371 806 4810**	**127 711 / 400 371 806 4827**

TRACTOR ACCESSORIES

BUMPER PRO
Premium tractors from 2013
Comfort tractors from 2017
EAN no. 400 371 806 4988
Art. no. 127 731

BUMPER
For all tractors
EAN no. 400 371 835 3464
Art. no. 119 658

ARMRESTS
Premium tractors from 2013
EAN no. 400 371 806 4971
Art. no. 127 730

STUDDED TYRES
20"
EAN no. 400 371 806 0911
Art. no. 127 577

23"
EAN no. 400 371 806 0928
Art. no 127 578

SPREADER SP 60*
Capacity: 56 l
Spread range: 2 - 5 m
EAN no. 400 371 806 1932
Art. no. 113 874

COMBI TRAILER
CT 400*
Maximum load weight (level): 400 kg
Max. load weight (slope): 200 kg
EAN no. 400 371 806 1895
Art. no. 113 870

MULCHING KIT 93 / 95 cm
EAN no. 400 371 834 5643
Art. no. 118 885

MULCHING KIT 103 / 105 cm
EAN no. 400 371 835 3440
Art. no. 119 656

RETROFITTING KIT FOR LED LIGHTS
EAN no. 400 371 835 5116
Art. no. 119 832

DEFLECTOR
EAN no. 400 371 835 2986
Art. no. 119 606

HIGH GRASS CUTTING DECK
Working width 110 cm
4 contact wheels for unevenness
EAN no. 400 371 806 0904
Art. no 127 576

LAWN ROLLER GW 100*
Working width: 98 cm
Working weight: 140 kg (water filling), 235 kg (sand filling)
EAN no. 576 972 033 0617
Art. no. 130 539

TOW HITCH
EAN no. 400 371 835 3006
Art. no. 119 608

*Trailer hitch required.

PREMIUM *pro*

MEMORY FUNCTION
Premium tractors from 2013
EAN no. 400 371 806 4957
Art. no. 127 740

CRUISE CONTROL
Premium tractors from 2013
EAN no. 400 371 806 4964
Art. no. 127 729

ELECTRIC GRASS COLLECTOR EMPTYING
Premium tractors from 2013
with grass collector
EAN no. 400 371 835 2948
Art. no. 119 602

RETROFITTING KIT FOR SMART COCKPIT
Premium tractors from 2013
EAN no. 400 371 806 3332
Art. no. 127 655

+ SMART INDUCTIVE CHARGING
EAN no. 400 371 806 3349 / **Art. no. 127 656**

SNOW CHAINS set of 2

18" EAN no.400 371 803 4257
Art. no. 112 339

20" EAN no. 400 371 805 5306
Art no. 127 333

23" EAN no. 400 371 804 8643
Art. no. 113 137

STRAIGHT LOADING RAMP
Made of aluminium, set of 2,
payload: 400 kg, length 2 m
EAN no. 400 371 806 1949
Art. no. 113 861

SNOWPLOUGH
Incl. mounting frame, 125 cm
working width, 5-stage adjustment
EAN no. 400 371 835 2924
Art. no. 119 600



CURVED LOADING RAMP
Made of aluminium, set of 2,
payload: 400 kg, length 2 m
EAN no. 400 371 806 2038
Art. no. 113 862

ADVANTAGE KITS

Comprising **an accessory** and **a tow bar**

Combi Trailer Set Premium
Art. no. 113 878

Spreader SP 60 Set Premium
Art. no. 113 880

Lawn roller GW 100 Set Premium
Art. no. 113 882

TRACTOR ACCESSORIES

		T 22-111.4 HDS-A V2	T 15-95.4 HD-A	T 18-95.4 HD V2	T 18-105.4 HD V2	T 22-105.4 HDD-A V2	T 22-110.4 HDH-A V2	T 22-105.4 HD V2 SD	T 24-125.4 HD V2
FRONT	**Bumper** Art. no. 119 658, EAN no. 400 371 835 3464	✓	✓	✓	✓	✓	✓	✓	✓
	Bumper Pro Art. no. 127 731, EAN no. 400 371 806 4988	✓	✓	✓	✓	(✓)	(✓)	(✓)	(✓)
	Snowplough (incl. attachment frame) Art. no. 119 600, EAN no. 400 371 835 2924	✓	✓	✓	✓	✓	✓	✓	✓
REAR	**Combi Trailer CT 400*** Art. no. 113 870, EAN no. 400 371 806 1895	✓	✓	✓	✓	✓	✓	✓	✓
	Spreader SP 60* Art. no. 113 874, EAN no. 400 371 806 1932	✓	✓	✓	✓	✓	✓	✓	✓
	Lawn roller GW 100* Art. no. 130 539, EAN no. 576 972 033 0617	✓	✓	✓	✓	✓	✓	✓	✓
	Tow hitch - COMFORT pro Art. no. 119 831, EAN no. 400 371 835 5109	-	-	-	-	-	-	-	-
	Tow hitch - PREMIUM pro Art. no. 119 608, EAN no. 400 371 835 3006	(✓)	✓	✓	✓	✓	(✓)	✓	✓
	Deflector - COMFORT pro Art. no. 127 488, EAN no. 400 371 805 9281	-	-	-	-	-	-	-	-
	Deflector - PREMIUM pro Art. no. 119 606, EAN no. 400 371 835 2986	-	✓	✓	✓	✓	-	✓	✓
UPGRADE	**Retrofitting kit for LED lights** Art. no. 119 832, EAN no. 400 371 835 5116	(✓)	(✓)	(✓)	(✓)	(✓)	(✓)	(✓)	(✓)
	Mulching kit for 93 / 95 cm Art. no. 118 885, EAN no. 400 371 834 5643	-	✓	(✓)	-	-	-	-	-
	Mulching kit for 103 / 105 cm Art. no. 119 656, EAN no. 400 371 835 3440	-	-	-	(✓)	(✓)	-	(✓)	-
	High grass mower deck 110 Art. no. 127 576, EAN no. 400 371 806 0904	✓	-	✓	✓	✓	(✓)	✓	✓
	Armrests - COMFORT pro Art. no. 127 732, EAN no. 400 371 806 4995	-	-	-	-	-	-	-	-
	Armrests - PREMIUM pro Art. no. 127 730, EAN no. 400 371 806 4971	✓	✓	✓	✓	✓	✓	✓	✓
	Memory function - PREMIUM pro Art. no. 127 740, EAN no. 400 371 806 4957	(✓)	(✓)	(✓)	(✓)	(✓)	(✓)	(✓)	(✓)
	Cruise control - PREMIUM pro Art. no. 127 729, EAN no. 400 371 806 4964	✓	✓	✓	✓	✓	✓	(✓)	(✓)
	Retrofitting kit for smart cockpit - PREMIUM pro Art. no. 127 655, EAN no. 400 371 806 3332	✓	✓	✓	✓	✓	✓	(✓)	✓
	Smart inductive charging - PREMIUM pro Art. no. 127 656, EAN no. 400 371 806 3349	✓	✓	✓	✓	✓	✓	✓	✓
	Electric Box emptying - PREMIUM pro Art. no. 119 602, EAN no. 400 371 835 2948	-	✓	✓	✓	✓	-	✓	✓
TYRES	**Snow chains 18"** (pair) Art. no. 112 339, EAN no. 400 371 803 4257	-	-	-	-	-	-	-	-
	Snow chains 20" (pair) Art. no. 127 333, EAN no. 400 371 805 5306	✓	✓	✓	✓	✓	-	-	-
	Snow chains 23" (pair) Art. no. 113 137, EAN no. 400 371 804 8643	-	-	-	-	-	-	✓	✓
	Chevron tyres 20" Art. no. 127 577, EAN no. 400 371 806 0911	✓	✓	✓	✓	✓	(✓)	-	-
	Chevron tyres 23" Art. no. 127 578, EAN no. 400 371 806 0928	-	-	-	-	-	-	✓	✓
OTHER	**Straight loading ramp** Art. no. 113 861, EAN no. 400 371 806 1949	✓	✓	✓	✓	✓	✓	✓	✓
	Curved loading ramp Art. no. 113 862, EAN no. 400 371 806 2038	✓	✓	✓	✓	✓	✓	✓	✓

*Trailer hitch required.

Included in delivery: (✓) Compatible accessories: ✓ Not available for this model: -

engineered in GERMANY

made in AUSTRIA

GERMAN DESIGN AWARD WINNER 2024

PREMIUM *pro*

solo® by AL-KO

WARRANTY EXTENSION
WHEN YOU SIGN UP ONLY
www.alko-garden.com
2+3 YEARS

GERMAN DESIGN AWARD WINNER 2024

AL-KO Ginge A/S

Denmark
Fon +45 9882 1000
salg@al-ko.com
www.alko-garden.dk

Norway
Fon +47 8486 2550
kundetjeneste@al-ko.com
www.alko-garden.no

Sweden
Fon +46 31 (0) 573 580
kundtjanst@al-ko.com
www.alko-garden.se

Visit us at:

facebook.com/solobyalkodanmark
@AL-KOGardentechdk

facebook.com/ALKOGardentechNorge
@AL-KOGardentechno

facebook.com/ALKOGardentechSverige
@AL-KOGardentechse

Provided by your solo® by AL-KO partner:

Subject to price changes and technical changes.
No liability accepted for mistakes and printing errors.