

Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Überarbeitet am:
19.02.2025

AL-KO Hydrauliköl HLP 46
Artikel-Nr.: 4887ALKO

Seite 1 von 6

ABSCHNITT 1: Bezeichnung des Stoffs beziehungsweise des Gemischs und des Unternehmens

1.1. Produktidentifikator

4887ALKO AL-KO Hydrauliköl HLP 46

1.2. Relevante identifizierte Verwendungen des Stoffs oder Gemischs und Verwendungen, von denen abgeraten wird

Verwendung des Stoffs/des Gemischs

Schmieröl

1.3. Einzelheiten zum Lieferanten, der das Sicherheitsdatenblatt bereitstellt

Firmenname:	AL-KO GERÄTE GmbH	
Straße:	Ichenhauser Str. 14	
Ort:	D-89359 Kötzing	
Telefon:	+49 (0) 8221 / 203-0	Telefax: +49 (0) 8221 / 203-165
E-Mail:	garten.hobby@al-ko.de	
Ansprechpartner:	Thorsten Grönig	Telefon: +49 (0) 7161 / 802-268
E-Mail:	produktsicherheit@zeller-gmelin.de	

1.4. Notrufnummer: +49 7161 / 802-400 (Bürozeiten Mo. - Fr. 7:00 - 18:00 Uhr)

ABSCHNITT 2: Mögliche Gefahren

2.1. Einstufung des Stoffs oder Gemischs

Verordnung (EG) Nr. 1272/2008

Dieses Gemisch ist nicht als gefährlich eingestuft im Sinne der Verordnung (EG) Nr. 1272/2008.

2.2. Kennzeichnungselemente

2.3. Sonstige Gefahren

Keine weiteren relevanten Informationen verfügbar.

ABSCHNITT 3: Zusammensetzung/Angaben zu Bestandteilen

3.2. Gemische

Chemische Charakterisierung

Mineralölhaltiges Gemisch. Mineralöl mit < 3% DMSO-Extrakt nach IP 346.

Relevante Bestandteile

keine/keiner (gemäß Verordnung (EG) Nr. 1907/2006 (REACH))

ABSCHNITT 4: Erste-Hilfe-Maßnahmen

4.1. Beschreibung der Erste-Hilfe-Maßnahmen

Allgemeine Hinweise

In allen Zweifelsfällen oder wenn Symptome vorhanden sind, ärztlichen Rat einholen. Bei Bewusstlosigkeit und vorhandener Atmung in stabile Seitenlage bringen und ärztlichen Rat einholen. Beschmutzte, getränkte Kleidung sofort ausziehen.

Nach Einatmen

Betroffenen an die frische Luft bringen und warm und ruhig halten.

Nach Hautkontakt

Bei Berührung mit der Haut sofort abwaschen mit viel Wasser und Seife.

Nach Augenkontakt

Bei Augenkontakt die Augen bei geöffneten Lidern ausreichend lange mit Wasser spülen, dann sofort Augenarzt konsultieren.

Nach Verschlucken

Bei Verschlucken Mund mit Wasser ausspülen (nur wenn Verunfallter bei Bewusstsein ist). Reichlich Wasser in kleinen Schlucken trinken lassen (Verdünnungseffekt). Sofort Arzt hinzuziehen. KEIN Erbrechen herbeiführen.

4.2. Wichtigste akute und verzögert auftretende Symptome und Wirkungen

In allen Zweifelsfällen oder wenn Symptome vorhanden sind, ärztlichen Rat einholen.

4.3. Hinweise auf ärztliche Soforthilfe oder Spezialbehandlung

Es liegen keine Informationen vor.

Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Überarbeitet am:
19.02.2025

AL-KO Hydrauliköl HLP 46
Artikel-Nr.: 4887ALKO

Seite 2 von 6

ABSCHNITT 5: Maßnahmen zur Brandbekämpfung

5.1. Löschmittel

Geeignete Löschmittel

alkoholbeständiger Schaum, Löschpulver, Kohlendioxid (CO₂).

Ungeeignete Löschmittel

Wasservollstrahl.

5.2. Besondere vom Stoff oder Gemisch ausgehende Gefahren

Gefährliche Zersetzungsprodukte: Kohlenmonoxid Kohlendioxid (CO₂). Explosions- und Brandgase nicht einatmen.

5.3. Hinweise für die Brandbekämpfung

Im Brandfall: Umgebungsluftunabhängiges Atemschutzgerät tragen.

Zusätzliche Hinweise

Kontaminiertes Löschwasser getrennt sammeln. Nicht in die Kanalisation oder Gewässer gelangen lassen.

Nicht in den Untergrund/Erdreich gelangen lassen.

ABSCHNITT 6: Maßnahmen bei unbeabsichtigter Freisetzung

6.1. Personenbezogene Vorsichtsmaßnahmen, Schutzausrüstungen und in Notfällen anzuwendende Verfahren

Allgemeine Hinweise

Schutzmaßnahmen: siehe Abschnitt 7 + 8.

6.2. Umweltschutzmaßnahmen

Nicht in die Kanalisation oder Gewässer gelangen lassen. Nicht in den Untergrund/Erdreich gelangen lassen.

Verschmutzte Gegenstände und Fußboden unter Beachtung der Umweltvorschriften gründlich reinigen.

6.3. Methoden und Material für Rückhaltung und Reinigung

Weitere Angaben

Mit flüssigkeitsbindendem Material (Sand, Kieselgur, Säurebinder, Universalbinder) aufnehmen. Das aufgenommene Material gemäß Abschnitt Entsorgung behandeln.

6.4. Verweis auf andere Abschnitte

Schutzmaßnahmen: siehe Abschnitt 7 + 8.

ABSCHNITT 7: Handhabung und Lagerung

7.1. Schutzmaßnahmen zur sicheren Handhabung

Hinweise zum sicheren Umgang

Persönliche Schutzausrüstung verwenden. Bei Gebrauch nicht essen, trinken oder rauchen. Für Frischluft sorgen. Behälter mit Vorsicht öffnen und handhaben. Zu vermeidende Bedingungen: Aerosolerzeugung/-bildung.

Hinweise zum Brand- und Explosionsschutz

Es sind keine besonderen Maßnahmen erforderlich.

Hinweise zu allgemeinen Hygienemaßnahmen am Arbeitsplatz

Am Arbeitsplatz nicht essen, trinken, rauchen, schnupfen.

7.2. Bedingungen zur sicheren Lagerung unter Berücksichtigung von Unverträglichkeiten

Anforderungen an Lagerräume und Behälter

Schützen gegen: Frost. Vor Hitze schützen. Gegen direkte Sonneneinstrahlung schützen. Behälter dicht geschlossen halten und an einem kühlen, gut gelüfteten Ort aufbewahren.

Lagerklasse nach TRGS 510: 10

7.3. Spezifische Endanwendungen

Technisches Merkblatt beachten.

ABSCHNITT 8: Begrenzung und Überwachung der Exposition/Persönliche Schutzausrüstungen

8.1. Zu überwachende Parameter

Zusätzliche Hinweise zu Grenzwerten

a keine Beschränkung

b Expositionsende bzw. Schichtende

Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Überarbeitet am:
19.02.2025

AL-KO Hydrauliköl HLP 46
Artikel-Nr.: 4887ALKO

Seite 3 von 6

c bei Langzeitexposition: nach mehreren vorangegangenen Schichten
d vor nachfolgender Schicht

Y: Ein Risiko der Fruchtschädigung braucht bei Einhaltung des Arbeitsplatzgrenzwertes (AGW) und des biologischen Grenzwertes (BGW) nicht befürchtet zu werden
Z: Ein Risiko der Fruchtschädigung kann auch bei Einhaltung des Arbeitsplatzgrenzwertes (AGW) und des biologischen Grenzwertes (BGW) nicht ausgeschlossen werden
Blut (B)
Urin (U)

8.2. Begrenzung und Überwachung der Exposition

Geeignete technische Steuerungseinrichtungen

Siehe Abschnitt 7. Es sind keine darüber hinausgehenden Maßnahmen erforderlich.

Individuelle Schutzmaßnahmen, zum Beispiel persönliche Schutzausrüstung

Augen-/Gesichtsschutz

Gestellbrille mit Seitenschutz (DIN EN ISO 16321).

Handschutz

Geeignete Schutzhandschuhe tragen. Empfohlene Handschuhfabrikate: EN ISO 374. Geeignetes Material: NBR (Nitrilkautschuk). Durchbruchzeit: > 480 min (Dicke des Handschuhmaterials: 0.4 mm). Durchbruchzeiten und Quelleigenschaften des Materials sind zu berücksichtigen. Es wird empfohlen, die Chemikalienbeständigkeit der oben genannten Schutzhandschuhe für spezielle Anwendungen mit dem Handschuhhersteller abzuklären. Schutzcremes können helfen, ausgesetzte Bereiche der Haut zu schützen. Nach einem Kontakt sollten diese keinesfalls angewendet werden.

Körperschutz

Schutzkleidung.

Atemschutz

Bei sachgemäßer Verwendung und unter normalen Bedingungen ist ein Atemschutz nicht erforderlich. Bei Bildung von Spritzern oder feinem Nebel muss ein für diesen Zweck geeignetes, zugelassenes Atemschutzgerät getragen werden. Geeignetes Atemschutzgerät: Filtrierende Halbmaske (DIN EN 149), z.B. FFA P / FFP3.

Begrenzung und Überwachung der Umweltexposition

Nicht in die Kanalisation oder Gewässer gelangen lassen.

ABSCHNITT 9: Physikalische und chemische Eigenschaften

9.1. Angaben zu den grundlegenden physikalischen und chemischen Eigenschaften

Aggregatzustand:	Flüssig
Farbe:	bräunlich
Geruch:	charakteristisch

	Prüfnorm
Schmelzpunkt/Gefrierpunkt:	nicht bestimmt
Siedepunkt oder Siedebeginn und Siedebereich:	280 - 500 °C
Entzündbarkeit:	Nicht entzündbar.
Untere Explosionsgrenze:	0,6 Vol.-%
Obere Explosionsgrenze:	6,5 Vol.-%
Flammpunkt:	> 210 °C EN ISO 2592
Zündtemperatur:	nicht bestimmt
Zersetzungstemperatur:	nicht bestimmt
pH-Wert:	nicht anwendbar
Kinematische Viskosität: (bei 40 °C)	46 mm²/s ASTM D 7042
Wasserlöslichkeit:	unlöslich
Verteilungskoeffizient n-Oktanol/Wasser:	nicht bestimmt
Dampfdruck: (bei 20 °C)	< 0,1 hPa
Dichte (bei 15 °C):	0,86 g/cm³ DIN EN ISO 12185
Relative Dampfdichte:	nicht bestimmt
Partikeleigenschaften:	nicht anwendbar

Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Überarbeitet am:
19.02.2025

AL-KO Hydrauliköl HLP 46
Artikel-Nr.: 4887ALKO

Seite 4 von 6

9.2. Sonstige Angaben

Sonstige sicherheitstechnische Kenngrößen

Pourpoint:

< -15 °C ASTM D 7346

Dynamische Viskosität:

nicht bestimmt

Auslaufzeit:

nicht bestimmt

Weitere Angaben

Keine weiteren relevanten Informationen verfügbar.

ABSCHNITT 10: Stabilität und Reaktivität

10.1. Reaktivität

Es liegen keine Informationen vor.

10.2. Chemische Stabilität

Es liegen keine Informationen vor.

10.3. Möglichkeit gefährlicher Reaktionen

Bei bestimmungsgemäßer Handhabung und Lagerung treten keine gefährlichen Reaktionen auf.

10.4. Zu vermeidende Bedingungen

Hitze.

10.5. Unverträgliche Materialien

Es liegen keine Informationen vor.

10.6. Gefährliche Zersetzungsprodukte

Es liegen keine Informationen vor.

ABSCHNITT 11: Toxikologische Angaben

11.1. Angaben zu den Gefahrenklassen im Sinne der Verordnung (EG) Nr. 1272/2008

Akute Toxizität

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

ATEmix berechnet

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalativ Dampf) > 20 mg/l; ATE (inhalativ Staub/Nebel) > 5 mg/l

Reiz- und Ätzwirkung

Ätzwirkung auf die Haut/Hautreizung: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Schwere Augenschädigung/Augenreizung: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Sensibilisierende Wirkungen

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Krebserzeugende, erbgutverändernde und fortpflanzungsgefährdende Wirkungen

Keimzellmutagenität: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Karzinogenität: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Reproduktionstoxizität: Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Spezifische Zielorgan-Toxizität bei einmaliger Exposition

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Spezifische Zielorgan-Toxizität bei wiederholter Exposition

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

Aspirationsgefahr

Aufgrund der verfügbaren Daten sind die Einstufungskriterien nicht erfüllt.

11.2. Angaben über sonstige Gefahren

Sonstige Angaben

Bei Beachtung der allgemeinen Regeln des Arbeitsschutzes und der Industriehygiene besteht keine Gefährdung der Gesundheit des Personals beim Umgang mit diesem Produkt.

ABSCHNITT 12: Umweltbezogene Angaben

12.1. Toxizität

Es sind keine Daten für die Mischung verfügbar.

12.2. Persistenz und Abbaubarkeit

Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Überarbeitet am:
19.02.2025

AL-KO Hydrauliköl HLP 46
Artikel-Nr.: 4887ALKO

Seite 5 von 6

Es sind keine Daten für die Mischung verfügbar.

12.3. Bioakkumulationspotenzial

Es sind keine Daten für die Mischung verfügbar.

12.4. Mobilität im Boden

Keine Daten verfügbar

12.5. Ergebnisse der PBT- und vPvB-Beurteilung

Die Stoffe im Gemisch erfüllen nicht die PBT/vPvB Kriterien gemäß REACH, Anhang XIII.

12.6. Endokrinschädliche Eigenschaften

Dieses Produkt enthält keinen Stoff, der gegenüber Nichtzielorganismen endokrine Eigenschaften aufweist, da kein Inhaltstoff die Kriterien erfüllt.

12.7. Andere schädliche Wirkungen

Keine Daten verfügbar

ABSCHNITT 13: Hinweise zur Entsorgung

13.1. Verfahren der Abfallbehandlung

Empfehlungen zur Entsorgung

Nicht in die Kanalisation oder Gewässer gelangen lassen. Abfälle und Behälter müssen in gesicherter Weise beseitigt werden. Entsorgung gemäß Richtlinie 2008/98/EG über Abfälle und gefährliche Abfälle.

Abfallschlüssel - ungebrauchtes Produkt

130110 ÖLABFÄLLE UND ABFÄLLE AUS FLÜSSIGEN BRENNSTOFFEN (AUSSER SPEISEÖLE UND ÖLABFÄLLE, DIE UNTER DIE KAPITEL 05, 12 UND 19 FALLEN); Abfälle von Hydraulikölen; nichtchlorierte Hydrauliköle auf Mineralölbasis; gefährlicher Abfall

Abfallschlüssel - ungereinigte Verpackung

150104 VERPACKUNGSABFALL, AUFGAUGMASSEN, WISCHTÜCHER, FILTERMATERIALIEN UND SCHUTZKLEIDUNG (A.N.G.); Verpackungen (einschließlich getrennt gesammelter kommunaler Verpackungsabfälle); Verpackungen aus Metall

Entsorgung ungereinigter Verpackung und empfohlene Reinigungsmittel

Nicht kontaminierte und restentleerte Verpackungen können einer Wiederverwertung zugeführt werden. Wegen einer Abfallentsorgung den zuständigen zugelassenen Entsorger ansprechen.

ABSCHNITT 14: Angaben zum Transport

Landtransport (ADR/RID)

14.1. UN-Nummer oder ID-Nummer:

Kein Gefahrgut im Sinne der Transportvorschriften.

14.2. Ordnungsgemäße

Kein Gefahrgut im Sinne der Transportvorschriften.

UN-Versandbezeichnung:

14.3. Transportgefahrenklassen:

Kein Gefahrgut im Sinne der Transportvorschriften.

14.4. Verpackungsgruppe:

Kein Gefahrgut im Sinne der Transportvorschriften.

Seeschifftransport (IMDG)

14.1. UN-Nummer oder ID-Nummer:

Kein Gefahrgut im Sinne der Transportvorschriften.

14.2. Ordnungsgemäße

Kein Gefahrgut im Sinne der Transportvorschriften.

UN-Versandbezeichnung:

14.3. Transportgefahrenklassen:

Kein Gefahrgut im Sinne der Transportvorschriften.

14.4. Verpackungsgruppe:

Kein Gefahrgut im Sinne der Transportvorschriften.

Marine pollutant:

NO

Lufttransport (ICAO-TI/IATA-DGR)

14.1. UN-Nummer oder ID-Nummer:

Kein Gefahrgut im Sinne der Transportvorschriften.

14.2. Ordnungsgemäße

Kein Gefahrgut im Sinne der Transportvorschriften.

UN-Versandbezeichnung:

14.3. Transportgefahrenklassen:

Kein Gefahrgut im Sinne der Transportvorschriften.

14.4. Verpackungsgruppe:

Kein Gefahrgut im Sinne der Transportvorschriften.

14.5. Umweltgefahren

UMWELTGEFÄHRDEND:

Nein

14.6. Besondere Vorsichtsmaßnahmen für den Verwender

Keine Daten verfügbar

14.7. Massengutbeförderung auf dem Seeweg gemäß IMO-Instrumenten

Keine Daten verfügbar

Sicherheitsdatenblatt

gemäß Verordnung (EG) Nr. 1907/2006

Überarbeitet am:
19.02.2025

AL-KO Hydrauliköl HLP 46
Artikel-Nr.: 4887ALKO

Seite 6 von 6

ABSCHNITT 15: Rechtsvorschriften

15.1. Vorschriften zu Sicherheit, Gesundheits- und Umweltschutz/spezifische Rechtsvorschriften für den Stoff oder das Gemisch

EU-Vorschriften

Verwendungsbeschränkungen (REACH, Anhang XVII):

Eintrag 75

Richtlinie 2010/75/EU über 0 %

Industrieemissionen:

Angaben zur SEVESO III-Richtlinie 2012/18/EU: Unterliegt nicht der SEVESO III-Richtlinie

Nationale Vorschriften

Wassergefährdungsklasse: 1 - schwach wassergefährdend

Status: Einstufung von Gemischen gemäß Anlage 1, Nr. 5 AwSV

15.2. Stoffsicherheitsbeurteilung

Stoffsicherheitsbeurteilungen für Stoffe in dieser Mischung wurden nicht durchgeführt.

ABSCHNITT 16: Sonstige Angaben

Änderungen

Dieses Datenblatt enthält Änderungen zur vorherigen Version in dem/den Abschnitt(en):

1,2,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abkürzungen und Akronyme

ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)

RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

ICAO: International Civil Aviation Organization

CAS: Chemical Abstracts Service (a division of the American Chemical Society)

DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level

PNEC: Predicted No Effect Concentration

WEL (UK): Workplace Exposure Limits

TWA (EC): Time-Weighted Average

STEL (EC): Short Term Exposure Limit

ATE: Acute Toxicity Estimate

LD50: Lethal Dose, 50% (median lethal dose)

LC50: Lethal Concentration, 50% (median lethal concentration)

EC50: half maximal Effective Concentration

ErC50: EC50 in terms of reduction of growth rate

AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

Weitere Angaben

Sicherheitsdatenblatt gemäß VERORDNUNG (EU) 2020/878 DER KOMMISSION vom 18. Juni 2020 zur Änderung des Anhangs II der Verordnung (EG) Nr. 1907/2006

Die Angaben in diesem Sicherheitsdatenblatt entsprechen nach bestem Wissen unseren Erkenntnissen bei Drucklegung. Die Informationen sollen Ihnen Anhaltspunkte für den sicheren Umgang mit dem in diesem Sicherheitsdatenblatt genannten Produkt bei Lagerung, Verarbeitung, Transport und Entsorgung geben. Die Angaben sind nicht übertragbar auf andere Produkte. Soweit das Produkt mit anderen Materialien vermengt, vermischt oder verarbeitet wird, oder einer Bearbeitung unterzogen wird, können die Angaben in diesem Sicherheitsdatenblatt, soweit sich hieraus nicht ausdrücklich etwas anderes ergibt, nicht auf das so gefertigte neue Material übertragen werden.

(Die Daten der relevanten Bestandteile wurden jeweils dem letztgültigen Sicherheitsdatenblatt des Vorlieferanten entnommen.)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision:
19.02.2025

AL-KO Hydrauliköl HLP 46 Article No.: 4887ALKO

Page 1 of 6

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

4887ALKO AL-KO Hydrauliköl HLP 46

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Lubricant

1.3. Details of the supplier of the safety data sheet

Company name:	AL-KO GERÄTE GmbH	
Street:	Ichenhauser Str. 14	
Place:	D-89359 Kötzing	
Telephone:	+49 (0) 8221 / 203-0	Telefax: +49 (0) 8221 / 203-165
E-mail:	garten.hobby@al-ko.de	
Contact person:	Thorsten Grönig	Telephone: +49 (0) 7161 / 802-268
E-mail:	produktsicherheit@zeller-gmelin.de	

1.4. Emergency telephone number:

National Poisons Information Centre (Dublin): 01 8092166 In England and Wales: NHS Direct: 0845 4647 or 111 In Scotland: NHS 24: 08454 24 24 24

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

2.3. Other hazards

No further relevant information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Chemical characterization

Mineral oil-based mixture. Mineral oil with DMSO extract < 3 % as measured by IP 346.

Relevant ingredients

none (according to Regulation (EC) No 1907/2006 (REACH))

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

When in doubt or if symptoms are observed, get medical advice. If unconscious but breathing normally, place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

After inhalation

Remove casualty to fresh air and keep warm and at rest.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap.

After contact with eyes

After contact with the eyes, rinse with water with the eyelids open for a sufficient length of time, then consult an ophthalmologist immediately.

After ingestion

If swallowed, rinse mouth with water (only if the person is conscious). Let water be drunken in little sips (dilution effect). Call a physician immediately. Do NOT induce vomiting.

4.2. Most important symptoms and effects, both acute and delayed

When in doubt or if symptoms are observed, get medical advice.

4.3. Indication of any immediate medical attention and special treatment needed

No information available.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision:
19.02.2025

AL-KO Hydrauliköl HLP 46
Article No.: 4887ALKO

Page 2 of 6

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

alcohol resistant foam, Extinguishing powder, Carbon dioxide (CO₂).

Unsuitable extinguishing media

Full water jet.

5.2. Special hazards arising from the substance or mixture

Hazardous decomposition products: Carbon monoxide Carbon dioxide (CO₂). Do not inhale explosion and combustion gases.

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus.

Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Do not allow to enter into soil/subsoil.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General advice

Protective measures: see section 7 + 8.

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Clean contaminated articles and floor according to the environmental legislation.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Protective measures: see section 7 + 8.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Use personal protection equipment. Do not eat, drink or smoke when using this product. Provide fresh air. Handle and open container with care. Conditions to avoid: generation/formation of aerosols.

Advice on protection against fire and explosion

No special measures are necessary.

Advice on general occupational hygiene

When using do not eat, drink, smoke, sniff.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Protect against: Frost. Keep away from heat. Protect from direct sunlight. Keep container tightly closed in a cool, well-ventilated place.

7.3. Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Additional advice on limit values

- a no restriction
- b End of exposure or end of shift
- c at long-term exposure:
- d before next shift

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision:
19.02.2025

AL-KO Hydrauliköl HLP 46 Article No.: 4887ALKO

Page 3 of 6

Y: A risk of reproductive effects needs not to be feared if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

Z: A risk of reproductive effects cannot to be excluded if the occupational exposure limit value (AGW) and the biological limit value (BGW) is kept

blood (B)

Urine (U)

8.2. Exposure controls

Appropriate engineering controls

See section 7. No additional measures necessary.

Individual protection measures, such as personal protective equipment

Eye/face protection

Eye glasses with side protection (EN ISO 16321).

Hand protection

Wear suitable gloves. Recommended glove articles: EN ISO 374. Suitable material: NBR (Nitrile rubber). Breakthrough time: > 480 min (Thickness of the glove material: 0.4 mm). Breakthrough times and swelling properties of the material must be taken into consideration. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Barrier creams can help protecting exposed skin areas. In no case should they be used after contact.

Skin protection

Protective clothing.

Respiratory protection

With correct and proper use, and under normal conditions, breathing protection is not required. When splashes or fine mist form, a permitted breathing apparatus suitable for these purposes must be used. Suitable respiratory protection apparatus: Filtering Half-face mask (EN 149), e.g. FFA P / FFP3.

Environmental exposure controls

Do not allow to enter into surface water or drains.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state:	Liquid
Colour:	brownish
Odour:	characteristic

	Test method
Melting point/freezing point:	not determined
Boiling point or initial boiling point and boiling range:	280 - 500 °C
Flammability:	Non-flammable.
Lower explosion limits:	0,6 vol. %
Upper explosion limits:	6,5 vol. %
Flash point:	> 210 °C EN ISO 2592
Auto-ignition temperature:	not determined
Decomposition temperature:	not determined
pH-Value:	not applicable
Viscosity / kinematic: (at 40 °C)	46 mm ² /s ASTM D 7042
Water solubility:	insoluble
Partition coefficient n-octanol/water:	not determined
Vapour pressure: (at 20 °C)	< 0,1 hPa
Density (at 15 °C):	0,86 g/cm ³ DIN EN ISO 12185
Relative vapour density:	not determined
Particle characteristics:	not applicable

9.2. Other information

Other safety characteristics

Pour point:	< -15 °C ASTM D 7346
Viscosity / dynamic:	not determined
Flow time:	not determined

Further Information

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision:
19.02.2025

AL-KO Hydrauliköl HLP 46
Article No.: 4887ALKO

Page 4 of 6

No further relevant information available.

SECTION 10: Stability and reactivity

10.1. Reactivity

No information available.

10.2. Chemical stability

No information available.

10.3. Possibility of hazardous reactions

No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Heat.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

No information available.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix calculated

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Sensitising effects

Based on available data, the classification criteria are not met.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

11.2. Information on other hazards

Other information

Keeping to the general worker's protection rules and the industrial hygienics, there is no risk in handling this product through the personnel.

SECTION 12: Ecological information

12.1. Toxicity

There are no data available on the mixture itself.

12.2. Persistence and degradability

There are no data available on the mixture itself.

12.3. Bioaccumulative potential

There are no data available on the mixture itself.

12.4. Mobility in soil

No data available

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision:
19.02.2025

AL-KO Hydrauliköl HLP 46 Article No.: 4887ALKO

Page 5 of 6

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No data available

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. This material and its container must be disposed of in a safe way. Waste disposal according to directive 2008/98/EC, covering waste and dangerous waste.

List of Wastes Code - residues/unused products

130110 OIL WASTES AND WASTES OF LIQUID FUELS (EXCEPT EDIBLE OILS, AND THOSE IN CHAPTERS 05, 12 AND 19); waste hydraulic oils; mineral based non-chlorinated hydraulic oils; hazardous waste

List of Wastes Code - contaminated packaging

150104 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately collected municipal packaging waste); metallic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Consult the appropriate local waste disposal expert about waste disposal.

SECTION 14: Transport information

Land transport (ADR/RID)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine transport (IMDG)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

Marine pollutant: NO

Air transport (ICAO-TI/IATA-DGR)

<u>14.1. UN number or ID number:</u>	No dangerous good in sense of this transport regulation.
<u>14.2. UN proper shipping name:</u>	No dangerous good in sense of this transport regulation.
<u>14.3. Transport hazard class(es):</u>	No dangerous good in sense of this transport regulation.
<u>14.4. Packing group:</u>	No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No data available

14.7. Maritime transport in bulk according to IMO instruments

No data available

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2010/75/EU on industrial emissions: 0 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

Safety Data Sheet

according to Regulation (EC) No 1907/2006

Revision:
19.02.2025

AL-KO Hydrauliköl HLP 46
Article No.: 4887ALKO

Page 6 of 6

National regulatory information

Water hazard class (D): 1 - slightly hazardous to water

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,4,5,6,7,8,9,10,11,12,13,14,15,16.

Abbreviations and acronyms

ADR: Accord relatif au transport international des marchandises dangereuses par route (Agreement concerning the International Carriage of Dangerous Goods by Road)
RID: Règlement concernant le transport international ferroviaire des marchandises dangereuses (Regulations concerning the International Carriage of Dangerous Goods by Rail)
IMDG: International Maritime Code for Dangerous Goods
IATA: International Air Transport Association
ICAO: International Civil Aviation Organization
CAS: Chemical Abstracts Service (a division of the American Chemical Society)
DNEL/DMEL: Derived No-Effect Level / Derived Minimal Effect Level
PNEC: Predicted No Effect Concentration
WEL (UK): Workplace Exposure Limits
TWA (EC): Time-Weighted Average
STEL (EC): Short Term Exposure Limit
ATE: Acute Toxicity Estimate
LD50: Lethal Dose, 50% (median lethal dose)
LC50: Lethal Concentration, 50% (median lethal concentration)
EC50: half maximal Effective Concentration
ErC50: EC50 in terms of reduction of growth rate
AwSV: Verordnung über Anlagen zum Umgang mit wassergefährdenden Stoffen

Further Information

Safety Data Sheet according to COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)